

Neural Integration

Prof. Narkunaraja Shanmugam

Dept. Of Biomedical Science School of Basic Medical Sciences Bharathidasan University

Sensations

Define sensation:

A state of awareness of a stimulus.

Awareness

When a stimulus is detected by the body; below the level of consciousness.

Such as a change in blood pressure or blood pH.

Perception

When a stimulus reaches consciousness; pain, hunger, thirst, sight, sound, etc.

≻Stimulus

• Anything capable of exciting a sensory receptor cell can be defined as a "stimulus"

Examples include: sound, light, heat, cold, odor, color, touch, and pressure

≻Which can generate Stimulus

• Any change in the environment, either internal or external, can generate a stimulus.

≻Receptor

A structure which detects a stimulus and converts it into an action potential

Sense organs operate through sensory receptor cells that receive external forms of energy (Environmental sensation) and translate these external forms into neural impulses that can be transmitted to the brain.

- Sensory receptors may convey information to the CNS with awareness or perception
- Sensory receptors also serve as afferent pathways for reflex action with or without conscious sensation.

Afferent Division of the Nervous System & location in CNS

- Receptors
- Sensory neurons
- Sensory pathways
 - There are many sensory receptors that relay information about the internal and external environment to the CNS but do not reach consciousness

Afferent Division – location in CNS

- 1. Somatic Sensory info
 - Sensory cortex of cerebrum
 - Cerebellum
- 2. Visceral Sensory info
 - Reflex centers in brainstem
 - Reflex centers in diencephalon

The somatic sensory system

- Sensory stimuli that reach the conscious level of perception
- Specialized cells that monitor specific conditions in the body or external environment

General Senses:

- Temp, pain, touch, pressure, vibration, proprioception
- Simple receptors located anywhere on body

Special Senses:

- Are located in sense organs such as the eye or ear
- Olfaction, vision, gustation, hearing, equilibrium
- Complex receptors located in specialized sense organs

General Properties: Sensory Division

TABLE 10-1	Information Processing by the Sensory Division
STIMULUS PROCESSING IS USUALLY CONSCIOUS	
SPECIAL SENSES	SOMATIC SENSES
Vision	Touch
Hearing	Temperature
Taste	Pain


Proprioception

Itch


Smell

Equilibrium

Cortical Sensory Areas




General Sensory Pathway



Copyright © 2008 Pearson Education, Inc., publishing as Benjamin Cummings.

From Sensation to Perception



Sensory Pathways – from sensation to perception

- Stimulus as physical energy → sensory <u>receptor</u>
 - > Receptor acts as a transducer
 - Transduction conversion of environmental stimulus into action potential by sensory receptor
 - > Receptors specific for particular type of stimulus
 - Specificity is due to structure of receptor
- Intracellular signal → usually change in membrane potential
- Stimulus → threshold → action potential to CNS
- Integration in <u>CNS</u> → cerebral cortex or acted on subconsciously