

Bharathidasan University

Centre for Differently Abled Persons



Diploma in Vocational Training and Management


Course: Sex Education and Self Advocacy Training

UNIT-4



Compiled By
Dr.M.Prabavathy
Assistant Professor


SEROUS MEMBRANE



(b)

Copyright © 2004 Pearson Education, Inc., publishing as Benjamin Cummings.


Abdominopelvic Regions




- Because the abdominopelvic cavity is large and contains several organs, it helps to divide it into smaller areas for study
 - **Cavity divided into 9 regions**
 - **Umbilical region:** centermost region deep to and surrounding the umbilicus (navel)
 - **Epigastric region:** located superior to the umbilical region (epi=upon, above; gastri=belly)
 - **Hypogastric (pubic) region:** located inferior to the umbilical region (hypo=below)

(a)


ABDOMINAL REGION



ABDOMINAL REGIONS



Abdominopelvic Regions



- **Right and left iliac, or inguinal regions:** located lateral to the hypogastric region (iliac=superior part of the hip bone)(inguinal=groin: between thigh and trunk)
- **Right and left lumbar regions:** lie lateral to the umbilical region (lumbus=loin: between ribs and pelvis)
- **Right and left hypochondriac regions:** flank the epigastric region laterally (chondro=cartilage)

(a)

● Thank You