
Paper Code - MTISC-0206G

INTRODUCTION TO GEOTECHNOLOGY









Speed facts of our Mother Earth:

(1) Self Rotational speed on the equator is approximately 1669.8 km/h. i.e. 1669.8/3600 sec. = 0.4638 km/sec.

(2) Orbital revolution speed around the sun, once ever 365.2425 days is 107278.87 km/h i.e., 29.8 km/sec.





MTISC-0206G - INTRODUCTION TO GEOTECHNOLOGY ---- 3 credits

1. Earth System Processes:

6hrs

<u>Earth Sciences:</u> Definition, Branches of Earth Sciences, Scope and importance of Earth Sciences

<u>Earth System Processes:</u> Origin, interior & age of the Earth – Plate tectonics – Formation of Continents & Oceans – Mountain building activities – origin of rivers – Physiography of the Earth.

2. Lithology, Structure, Geomorphology:

12hrs

<u>Lithology:</u> Rock forming minerals – Igneous, Sedimentary & Metamorphic Rocks – Stratigraphy.

Structure: Folds, faults, geotectonics and their significance.

<u>Geomorphology:</u> Various Geomorphic Processes – Regional Geomorphology of India – Geological Ecosystems.

3. Natural Resources and Disasters:

12hrs

<u>Natural Resources:</u> Mineral Provinces of India and exploration strategies – Hydrocarbon provinces of India and exploration strategies–Water Resources and exploration strategies. Soil, Forest & Biomass and Marine resources.

<u>Natural Disasters:</u> Geodynamic Processes and Natural Disasters (Seismicities – Landslides – Floods – Tsunami – Other Natural Disasters).

4. Remote Sensing Based Mapping:

12hrs

Aerial Remote Sensing – Satellite Remote Sensing Principles – Digital Image Processing concepts – GPS based mobile mapping principles – Image interpretation principles for Geotechnology.

5. Geoinformatics:

6hrs

Definition & Concepts – Input Sources (Satellite, Aerial & Ground based) - Computer based Geospatial data base generation tro ใช้เลากอง ได้เลากอง ใหม่ในเลา Resources, Eco Systems & Natural Disasters – Information Systems.

UNIT-1

EARTH SYSTEM PROCESSES

Earth Sciences: Definition, Branches of Earth Sciences, Scope and importance of Earth Sciences.

Text Books:

- 1. **Parbin Singh**,2008: A text book of Engineering & General Geology, S.K.Katarria & Sons, New Delhi.
- 2. **Mahapatra, G.B**., 2007: A text book of Geology, CBS publishers & distributors, New

Delhi.

References:

- 1. M.S. Krishnan, Geology of India & Burma, Higginbothams (P) Ltd., Chennai. 1968.
- 2. George Joseph, Fundamentals of Remote Sensing, 2nd Edition, Cambridge University Press. 2005.
- 3. Arthur Holmes, Principles of Physical geology, Thomas Nelson & Sons, USA 1964.
- 4. Gokkhale and Rao. Ore deposits of India, Thomson press, New Delhi, 1972.
- 5. Krishnaswamy, S. India's mineral resources, Oxford and IBH publishing, New Delhi. 1979.
- 6. Edwin H. Pascoe, A manual of the Geology of India and Burma, Controller of Publication, Govt. of India, New Delhi, 1973 Dr. Palanivel K
- 7. Sinha. R.K., A Treatise on Industrial Minerals of India, Allied Publishers Pvt.

- 8. Alfred Harker, Petrology for students, University Press, Cambridge.
- 9. Read, H.H. Rutley's Elements of Mineralogy, Thomas Murby & Co. London. 1947.
- 10. Alexander N.Winchell, Elements of Optical Mineralogy, Vol.I & II, Wiley Easter Pvt. Ltd., Publishers New Delhi. 1968.
- 11. Lillesand, T.M. and Kiefer, P.W, Remote Sensing and Image Interpretation, John Wiley & Sons, New York. 1986.
- 12. Burrough, P.A. Principles of Geographical Information Systems for Land Resources Assessment, Clarandone Press, Oxford. 1986.
- 13. Frank Press Raymond Siever: Understanding Earth (3rd ed). W.H. Freeman and Company. New York . 2000
- 14. B. J. Skinner and S.C. Porter: The Dynamic Earth An Introduction to Physical Geology 3rd edition. John Wiley & Sons, New York. 1995
- 15. P. McL. D. Duff: Holme's Principles of Physical Geology (4th ed). Chapman & Hall, London. 1996.

Homeworks:

- 1.What will be the self rotational speed of the objects on earth surface located at Poles?
- 2. What is the rate of movement of our Universe in terms ofkm/s?
- 3.Why the wavelengths of 1mm to 1m range are called microwaves though there are waves having very small wavelengths ranging in micro meter (µm) or even 1000 000 000 (1k lakh) times lesser, i.e., in nano meter (nm) size?
- 4. Why some wrist watches are called as Quartz watches? What is the use of Quartz in wrist watches?
- 5. Why the sky and sea appears blue?
- 6.Why the space appears black, even if you are above the day time part of the Earth?
- 7. What is the speed of International Space Station (ISS)?
- 8. The shape of the candle flame in the Earth's surface is like a Thilaham. Do yo know the shape of it in ISS?
- 9.Do you know our Indian sub-continent is moving? At what rate?
- 10.If so, then how long it has moved and where from?

 O4/17/24 Intro2GeoTech Dr. Palanivel K

GEOTECHNOLOGY - Definition

- The combined study of application of Geoscientific methods and Geoengineering techniques
- to the genuine and sustainable exploitation and utilization of Natural Resources (like mineral, water, hydrocarbon, geothermal resources, etc.) and mitigation, management planning and monitoring of Natural Disasters
- by thorough understanding of Earth

To understand the Earth System Processes, it is necessary to study ...

EARTH SCIENCE

DEFINITION

- OAny of the sciences that deals with the whole earth or it's part is called as EARTH SCIENCE.
- It is also known as Geoscience

Branches of Geosciences:

- Geology, Meteorology, Oceanography
- The first and the foremost discipline of Earth Science is Geology.
- Geology describes the rocky parts of the Earth's crust (or lithosphere – where the mineral and all other resources are occurring), interior, origin, formation of landforms that covers the surface and its historic development.

Major subdisciplines of GEOLOGY

- Crystallography and Mineralogy
- Petrology,
- Geomorphology,
- Palaeontology,
- Stratigraphy,
- Structural geology,
- Geophysics,
- Geochemistry,
- Engineering geology and

Definitions of Major Sub-disciplines, Importance and Further divisions in GEOLOGY

Crystallography

 is the experimental science of determining the arrangement of atoms in Crystal solids.

Kyanite- Al₂SiO₅**Triclinic**

Kyanite - Used in refractory and ceramic products, including porcelain plumbing fixtures and dishware, electronics, electrical insulators and abrasives, as a semiprecious gemstone, also as one of the index minerals

Quartz crystal is used as a most common **Crystal oscillator** in an electronic oscillator circuit that uses the mechanical resonance of a vibrating Quartz crystal to create an electrical signal with a very precise frequency. This frequency is commonly used to keep track of time as in **Quartz wristwatches**, to provide a stable clock signal for digital integrated circuits, and to stabilize frequencies for radio transmitters and receivers.

Diamond Beryl - Hexagonal



Quartz crystals




An eg. of closely packed lattice system
















Physical Mineralogy

Physical mineralogy is the specific focus on physical attributes of minerals. Description of physical attributes is the simplest way to identify, classify, and categorize minerals.

Symmetry & Structures

Haematite – Brown streak







Garnet –

Dodecahderal habit



Intro2GeoTech - Dr. Palanive
Smithsonite Botryoidal habit



Satinspar - Silky Lustre



Pyrite - Metallic Lustre



For e.g., Copper carbonate (CuCO3)

Azurite

Physical, Chemical and Optical Properties

General

Carbonate mineral

Formula (repeating unit)

 $Cu_3(CO_3)_2(OH)_2$

Strunz classification 05.BA.05

Crystal symmetry Monoclinic 2/m

Unit cell a = 5.01 Å, b = 5.85 Å, c = 10.35 Å;

 β = 92.43°; Z=2 Identification

044 67 almol

Formula mass 344.67 g/mol



Azure-blue, Berlin blue, very dark to pale blue; pale blue in transmitted light

Crystal habit

Massive, prismatic, stalactitic, tabular

Crystal system Monoclinic Prismatic

Twinning Rare, twin planes {101}, {102} or {001}.

Perfect on {011}, fair on {100}, poor on

Cleavage {110}

Fracture Conchoidal

Tenacity brittle

Mohs scale hardness 3.5 to 4

<u>Luster</u> Vitreous

<u>Streak</u> Light Blue

Diaphaneity Transparent to translucent

Specific gravity 3.773 (measured), 3.78 (calculated)

Optical Biaxial (+)

Refractive index $n_{\alpha} = 1.730 n_{\beta} = 1.758 n_{\gamma} = 1.838$

Birefringence $\delta = 0.108$


<u>Pleochroism</u> Visible shades of blue

2V angle Introlessed echalopted Palanivel K

<u>Dispersion</u> relatively weak

Note: Hyperlinks of certain terms seen here are retained as such, so that you can get details for further understanding through internet connectivity...





Azurite deposits on the interior surface of a geode

Economic Uses of Azurite – Blue paint - pignft http://dewelry, Copper ore indicator



Fresh, unweathered stalactitic azurite crystals showing the deep blue of unaltered azurite

It is a strong indicator mineral for the presence of copper ores – Malachite, Cuprite, etc. – 136 Cu mils. exists in our Earth in total.

Petrology

- Igneous,
- Sedimentary &
- Obsidian Volcanic Glass
- Metamorphic Petrology.







Gabbro – Plutonic Igneous rocks

Igneous petrology - composition and texture of igneous rocks (rocks such as granite or basalt which have crystallized from molten rock or magma). – volcanic,

Intermediate/Hypabyssal and plutonic

igneous rocks.

Pillow Lava / Aa / Pahoehoe Lava / Volcanic Neck-Volcanic Igneous rocks





Basalt - Volcanic











Dykes & Laccolith-Intermediate / Hypabyssal Igneous rocks

Sedimentary petrology






Sedimentary petrology - composition and Mudstone-tilted texture of sedimentary rocks (rocks such as sandstone, shale, or limestone which consist of pieces or particles derived from other rocks or biological or chemical deposits, and are usually bound together in a matrix of finer material).

Ripple marks



Uprooted, twisted, cut and tilted Sedi. Rock





ntro2Ĝeo Tech - Dr. Palanivel K

Top: Undisturbed but eroded;
Bottom: Carved tilted-stratum





Top: Current beddings;
Bottom: Breecia boulder








Metamorphic petrology

Metamorphic petrology - composition and texture of metamorphic rocks (rocks such as slate, marble, gneiss, or schist which started out as sedimentary or igneous rocks but which have undergone chemical, mineralogical or textural changes due to extremes of pressure, temperature or both)

Gneiss – Highly Deformed







Geophysics

- the quantitative observation of Earth's physical properties
 Study of Seismic Electrical Gravity Magnetic Radiometric properties, Airborne geophysical survey, Well logging, etc.
 - **Geodesy** measurement of the Earth
- Tectonophysics physical processes that cause and result from plate tectonics
- Geodynamics modes of transport deformation within the Earth: rock deformation, mantle flow and convection, heat flow, lithosphere dynamics
- Seismology earthquakes and the propagation of elastic waves through the Earth
- Geomagnetism
- Mathematical Geophysics development and applications of mathematical methods and techniques for the solution of geophysical problems







Geochemistry



- Study of chemical properties of rocks and sediments useful for resources exploration and hazard management
- study of the chemical composition of the Earth and other planets, chemical processes and reactions that govern the composition of rocks and soils, and the cycles of matter and energy that transport the Earth's chemical components in time and space, and their interaction with the hydrosphere and the atmosphere

Isotope geochemistry: Determination of the relative and absolute concentrations of the elements and their isotopes in the earth and on earth's surface.

Examination of the distribution and movements of elements in different parts of the earth (crust, mantle, hydrosphere etc.) and in minerals with the goal to determine the underlying system of distribution and movement.

Cosmochemistry: Analysis of the distribution of elements and their isotopes in the cosmos.

Biogeochemistry: Field of study focusing on the effect of life on the chemistry of the earth.

Organic geochemistry: A study of the role of processes and compounds that are derived from living or once-living organisms.


04/17/24

Regional, environmental and environmental, hydrological and mineral exploration studies.

Geomorphology


scientific study of landforms and the processes that shape them

















Palaeontology

investigates the whole history of life on Earth. It is the study of prehistoric life, including organism's evolution and interactions with each other and their environments (their palaeoecology)

Stratigraphy

studies rock layers and layering (stratification)

Lithologic stratigraphy / Lithostratigraphy

Biostratigraphy

Chronostratigraphy

Magnetostratigraphy

Archaeological stratigraphy

Sequence Stratigraphy

Structural geology

Fuel Geology

Engineering geology

.
















Sahara desert – Sand rivers – from Google earth





Ice desert – Ice rivers – Mt. Everest from Google earth




Terrain view – 3D view - Ice desert – Ice rivers – Morains and 'U'–shaped valleys are visible - Mt. Everest from Google earth. Palanivel K




Water – with a very strong force and energy – can cut across the very hard rocks








River Island - from Google earth – Can u guess, which area it is....



Satellite Image of riverine landforms

Part of Middle Eastern Tamil Nadu covering Kolli-Pachchai hills (North), Cauvery Delta (East), KodaikkanalecKadayurvand Sirumalai hills (SE)


04/17/24





Satellite Image of Coastal landforms

Part of Vedaranniyam area showing coastal landforms – Beach Ridges, Swales, Tidal and Mud flats, telegraph of the Palanivel K


04/17/24







Sheep Mountain, Albany, Wyoming WY, United States – GeoEye satellite data viewed using Google earth




Sheep Mountain, Albany, Wyoming WY, United States – viewed using 3D terrain option of Google earth











Sunglint reflections reveal details of Chesapeake Bay and the great bend of the Potomac River. Cities are difficult to detect from space during daylight hours, so the sickle-shaped bend of the river is a good visual guide for astronauts trying to photograph the nation's capital, Washington D.C. The farm-dominated Piedmont Plateau is the light-toned area between the mountains and the bay.

The Appalachian Mountains appear striped because the ridges are forested, providing a dense and dark canopy cover, while the valleys are farmed with crops that generally appear as lighter-toned areas. (Farmland is even lighter than usual in this image because the fields are fallow after the harvest.) Geologically, the valleys are the softer, more erodible rock layers, much the preferred places for human settlement. Not only do the larger rivers occupy the valley floors, but the soils are thicker, the slopes are gentler, and the valleys are better protected from winter winds.

The rocks that form this valley-and-ridge province, as it is known, are relatively old (540 to 300 million years old) and were laid down in horizontal layers when North America was attached to Europe in the ancient supercontinent

Mountains as viewed from the International Space Station. The image shows more than 500 kilometers (300 miles) of this low mountain chain from northeast Pennsylvania (top right) to southern West Virginia, where a dusting of

This regional view shows the striking visual effect of the valley-and-ridge topography of the Appalachian


snow covers a patch of land (lower left).

stumps of the relatively low, but visually striking mountain chain.


northwest coastline of modern Africa was the section of Gondwanaland that "bumped up" against modern North America over a long period (320 to 260 million years ago). The net result of the tectonic collision was the building of a major mountain chain, much higher than the present Appalachian range. In the process, the flat-lying rock layers were crumpled up into a series of tight folds, at right angles to the advance of Gondwanaland. The collision also formed the singular supercontinent of Pangaea. Over the following 200 million years, Pangaea broke apart; the modern Atlantic Ocean formed; and erosion wore down the once-high mountains. What is left 200 million years later are the coastline of North America and the eroded

of Laurasia. During this time Gondwanaland—an ancient supercontinent that included present-day Africa, India, South America, Australia, and Antarctica—was approaching Laurasia under the influence of plate tectonics. The


Astronaut photograph ISS033-E-22378 was acquired on November 17, 2012, with a Nikon D3S digital camera using a 28 millimeter lens, and is provided by the ISS Crew Earth Observations experiment and Image Science & Analysis Laboratory, Johnson Space Center. The image was taken by the Expedition 33 crew. It has been cropped and enhanced to improve contrast, and lens artifacts have been removed. The International Space Station Program supports the laboratory as part of the ISS National Lab to help astronauts take pictures of Earth that will be of the greatest value to scientists and the public, and to make those images freely available on the Internet. Additional images taken by astronauts and cosmonauts can be viewed at the NASA/JSC Gateway to Astronaut Photography of Earth. Caption by M. Justin Wilkinson, Jacobs/ESCG at NASA-JSC.



Carricitos - Sierra Mountain, Monterry, United States – viewed using Google earth – Let us zoom a small portion (yellow rectangled), of this image



Carricitos - Sierra Mountain, Monterry, United States – viewed using Google earth








Escarpments, i.e., Steep sided portion of hills Structural Features shown both in satellite image, high oblique aerial photograph and terrestrial photograph Intro2GeoTech - Dr. Palanivel K

04/17/24





Note, there are multiple rock layers visible having alternating light and dark colours – each rock layer can be traced very well – Have a look on Western and Eastern side rock layers of this 3D image – Note the direction of 'V' point seen along either sides of drainages. If you are not clear, see the next slide showing a 3D image from lower elegation and high oblique angle (in which the distant hills are also appearing....)



Doubly Plunging Syncline structure (i.e. inclined towards the center) of Carricitos - Sierra Mountain, Monterry, United States - Dyiewed using Google earth

Branches of Earth Sciences and Definitions:

Agro geology

- Study of minerals of importance for forming agriculture, horticulture, etc.

Physical Geology Dynamic Geology

 Concerned with the process and products of forces for evolution of Earth and its morphology

Physiography and Geomorphology

 Study deals with general configuration of the earth's Surface – Landforms

Physiography – is the descriptive

Geomorphology – interpretation on the basis

of landforms

Petrology- Study of physical and chemical properties and constitution of rocks

Petrography – study of mineralogical textural relationship

Lithology – Physical characters and feature of rocks

Petrogenesis – Origin and formation of rocks

Sedimentology - Overall study of sedimentary rocks – its origin, processes of sedimentary deposition and classification.

Palaeontology - It deals with study of past life in the form of animal and plant fossils preserved in the rocks

Palaeobotony, palynology, micro palaeontology – study of fossils classification and nomenclature, morphology, relation with other organism, phylogeny (line of direct descent)

Mineralogy - Study of minerals – its composition, physical properties, crystal structure, formation, occurrence and classification

Crystallography – Branch of science concerned with the physical properties of crystals and their aspects

Palaeoecology – Palaeo environment and palaeo climate information through the fossils and the associated rocks.

Structural Geology – deals with forms, arrangements and internal structure of rocks developed during rocks formation and subsequently by deformation – Tectonics and global tectonics are related

terms

Stratigraphy

- Study of various rocks Chronological succession, relative ages, correlation with each other in space and time (Palaeontology play vital role)

HISTORICAL GEOLOGY: Entire history of the Earth from its origin to present day

ECONOMIC GEOLOGY: It is the study of analysis of geologic bodies and materials that can be utilized profitably by man-Mineralization, Metallogeny

GEOCHEMISTRY:

It is the Science of the distribution of chemical

elements in minerals, ores, rocks, soils, water and their ions and isotopes

ISOTOPE GEOLOGY:

Determination of ages of minerals and rocks using some radio active and stable isotopes of certain elements – establishing reliable chronology.

V-pb; K-ar; Rb-Sr; sm-We, Radio carbon and fission track

ENGINEERING GEOLOGY:

Geology as applied to engineering practices

-Planning, designing, operation and
maintenance of civil engineering works.

HYDROGEOLOGY:

Study relate to occurrence and movements of subsurface water and related geological aspects of surface waters.

ASSOCIATED DISCIPLINE:

ENVIRONMENTAL GEOLOGY: Study of geological impact on environment (eg. Mining Project, Solid and Liquid waste disposal etc)

MINING GEOLOGY:

Study of geological aspects of mineral deposits with particular to problems related to its mining Prospecting, Exploration, Geological, Geochemical and Geobotanical survey etc)

MEDICAL GEOLOGY:

Study of rocks and minerals with respect to health of living things, mainly humans (Toxicity of elements)

EXPERIMENTAL GEOLOGY:

Lab based studies of rock formation.

PEDOLOGY:

Study of soils which are the products (weathered rock) of rock decay.

LIMNOLOGY:

Study of lakes, Ponds, Water bodies their physical, biological and ecological attributes evaluation.

GEOGRAPHY:

Science of earth surface physical features, climates vegetation, soils and their distributions.

METALLURGY:

Science and Technology of extracting and purifying metals.

ORE DRESSING:

Methodology of Mechanical and other processes of concentration of Metals and Minerals from ore.

GEOPHYSICS:

Science of physical processes applied for studying the various aspects of earth sciences encompassing lithosphere, hydrosphere and atmosphere.

GEODESY:

Science dealing with determining and measuring precise of rock – particular the remnant magnetism records during the formation of rock.

OCEANOGRAPHY AND MARINE GEOLOGY:

Scientific study of the ocean in all aspects – its relief, petrology, geochemistry, currents, waves, sea bottom, coastal structure and land form (coastal geomorphology)

METEOROLOGY:

Science of Atmosphere – it's a branch of Earth Science deals about rain and temperature and its impact on distraction of rocks.

Why GEOTECHNOLOGY is important?

- The GEOTECHNOLOGY which includes the science of geology, is significant in
 - Locating water supplies, mineral resources,
 - Understanding the development of life on Earth,
 - Developing predictive models for earthquake, volcano, and tsunami activity, and
 - Adding fundamental knowledge to the field of Earth and planetary sciences.




FIGURE 2.2 Flow diagram illustrating how minerals have been used to manufacture some common items that you probably use or eat everyday.

Geotechnology is important in

- ODetermining building placement,
- Discovering resources such as gravel, building stone, oil, coal, water, gem stones and mineral deposits,
- Gaining knowledge of rock and mineral properties, landslide avoidance, erosion control,
- Determining planetary histories, and earthquake and volcano eruption prediction.

IMPORTANCE OF GEOTECHNOLOGY

- Nearly everything we use in our daily life, from sidewalks to computers to homes, are constructed of components of rocks, or of plant material relying on the minerals in rock for growth.
- Earth Science plays a unique and essential role in today's rapidly changing world.
- It is an integrated study of the Earth's history, composition and structure, its atmosphere and oceans, and its environment in space.
- Knowledge of Earth Science is important because most human activities are related to interaction with the planet Earth.


Natural Resources

- Exploration, Exploitation,
 Conservation, Management
- **Natural Disasters**
- Mitigation, Forewarning, Management,

Damage

Assessment

All these are possible. How?



 By understanding the causative / inducing / /parameters of Natural Disasters

By understanding the Earth system processes





Geyser@Calistoga, California



EARTH SYSTEM PROCESSES

Earth Sciences: As discussed,

It is the science of understanding of our planet Earth:

- > its land, ocean, atmosphere, planets and animals
- > its processes, its resources and its environment.

⇒ depend Our lives and civilization upon

how we understand and

manage_{Intro2GeoTech - Dr. Palanivel K}our planet.

Earth Processes affect us all

- •Weather pattern influence the availability of water resources
- •Natural Hazards can kill large number of people and cause damage to his properties.

We in turn affect our planet

⇒Growing population and related increasing demand for various natural resources

⇒Improper development cause or trigger disasters.

So, in order to enhance our stewardship of our environment

Earth Science Learning:

Exposures to think globally and act locally

- ⇒ To make sound decisions about issues important to our lives
- ⇒ If you understand how the earth systems works
 - Can make informed decisions
 - Can resolve issues related to Natural resources, Ecosystems and Natural disasters

So,

The future lies in the hands of Geoscientists / Geotechnologists.

Earth Sciences Provides

- ⇒An integrated and interdisciplinary approach
- ⇒It includes and applies knowledge from biology, chemistry, physics, ecology and mathematics to tackle interdisciplinary issues.
- ⇒So, the earth sciences is considered as

"Mother of all Sciences"

- ⇒Earth science education improves critical thinking skills
- ⇒It offers a historical perspective and
- ⇒Improves our ability to predict future events.

Past – Present – Future

Unlike the other experimental science (Physics, Chemistry) the geology depends on observing and studying features on the earth.

→So it largely depends on theory and hypothesis mostly based on logical thinking on facts and features observable today.

"PRESENT IS THE KEY TO THE PAST"

That the processes that operate at present also operated in the past, but their intensity and rate vary – produce the

ORIGIN OF EARTH

- →A lot number of theories have been proposed by various scientists. But no single theory fully explained the origin of solar system with valid reasons for physical and chemical features exhibited by system
- → All the theories can be grouped under three heads:
 - 1. <u>Evolutionary Theories:</u> These are based on later modification of pre-existing gas clouds. Forces responsible for it are all internal.
 - 2.<u>Multistar Theories</u>: Based on the collision or close by crossing of two or more stars. External force.
 - 3. Protosun Theories: Sun is supposed to form earlier and latter gathered the interstellar materials to form the disc.

NEBULAR Hypothesis

In 1975, Kant proposed a hypothesis for the origin of Earth. Later it was modified to suit the other requirements of the solar system by Laplace

This theory has been called as Kant Laplace's Nebular hypothesis

According to the Kant Laplace's Nebular hypothesis theory

- → A rotating disc of hot gaseous nebula had been the parent body of the solar system
- → This nebula got cooled because of energy lost by radiation
- → The cooling of nebula lead to contraction and gravity
- → This shrinking nebula started to rotate faster and faster in order to conserve angular momentum
- → But at the boundary region of the nebula, because of rapid rotation, the centrifugal force become equal to gravitational force
- → So, at this stage, materials of this region would maintain their orbital positions
- → But continued contraction of inner portion had separated from the outer stable region
- → The outer rings, in due course condensed into a planet
- → In this way all the planets were formed
- → The innermost materials become the Sun.

FIGURE 1.11 The currently accepted theory for the origin of our solar system involves (a) a huge · nebula condensing under its own gravitational attraction, then (b) contracting, rotating, and (c) flattening into a disk, with the Sun forming in the center and eddies (e) gathering up material to form planets. As the Sun contracted and began to visibly shine, (d) intense solar radiation blew away unac-(d) creted gas and dust until finally, (e) the Sun began burning hydrogen and the planets completed their formation. (c) (b) Crust Mantle Core (c) (b)


FIGURE 1.12 (a) Early Earth was probably of uniform composition and density throughout. (b) Heating of the early Earth reached the melting point of iron and nickel, which, being denser reached the melting point of iron and nicker, which, being the reached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which, being treached the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker, which is the melting point of iron and nicker crust. (c) In this way, a differentiated Earth formed, consisting of a dense iron-nickel core, an iron-rich silicate mantle, and a silicate crust with continents and ocean basins.


only did it lead to the formation of a crust and eventually to continents, but it was also probably responsible for the 1 1 1 - montrially led to

AGE OF THE EARTH

- → The oldest intact rocks found on Earth date back to about 3-4.0 billion years ago.
- → Tiny grains of zirconium silicate (zircons) found embedded in sedimentary rocks have been <u>radiometrically</u> dated to 4.4 billion years ago.
- → Moon rocks brought by Apollo astronauts are older than any Earth rocks – volcanism and other geological processes4.4 billion years ago.
- → The Earth's crust appears to have already differentiated from the interior approximately 4.5 billion years ago
- → Isotopic analysis of meteorites suggests the Earth and the rest of the solar system formed 4.57 billion years ago.
- → From all the above, a safe figure for the maximum age of the earthries 4.6 billion years Intro2GeoTech Dr. Palanivel K

INTERIOR OF THE EARTH









Fig. 2.7% Thaternal Structure of the Earth (Diagrammatic-not to scale)

Plate Tectonics

Lithosphere is broken into individual pieces

called plates





Plates move over the asthenosphere of underlying convection cells

PLATE TECTONICS:

Pieces of a Jig-saw puzzle of both continent and ocean often reinforced by geological and biogeographical considerations.

In accordance to sea floor spreading from oceanic ridges the Continents move aside

If one ocean grows the adjacent ocean should shrink but it is not the case in some plate.


This is due to subduction at the plate collision site.

Plate Tectonic Theory


- at plate boundaries
 - volcanic activity occurs
 - earthquakes occur
- movement at plate boundaries
 - plates diverge
 - plates converge
 - plates slide sideways past each other

Plate Tectonic Theory

types of plate boundaries



Several lithospheric plates are recognized on Earth's surface



Transform: plates slide alongside one

another (e.g. San Andreas fault) Intro2GeoTech - Dr. Palanivel K

CONVERGENT BOUNDARIES

TRANSFORM BOUNDARIES




Table 2-I • CHARACTERISTICS AND EXAMPLES OF PLATE BOUNDARIES				
TYPE OF BOUNDARY	TYPES OF PLATES INVOLVED	TOPOGRAPHY	GEOLOGIC EVENTS	MODERN EXAMPLES
Divergent	Ocean-ocean Continent-continent	Mid-oceanic ridge Rift valley	Sea-floor spreading, shallow earthquakes, rising magma, volcanoes Continents torn apart, earthquakes, rising magma, volcanoes	Mid-Atlantic ridge East African rift
Convergent	Ocean-ocean	Island arcs and ocean trenches	Subduction, deep earthquakes, rising magma, volcanoes, deformation of rocks	Western Aleutians
	Ocean-continent	Mountains and ocean trenches	Subduction, deep earthquakes, rising magma, volcanoes, deformation of rocks	Andes
	Continent-continent	Mountains	Deep earthquakes, deformation of rocks	Himalayas
Transform	Ocean-ocean Continent-continent	Major offset of mid- oceanic ridge axis Small deformed mountain ranges, deformations along fault	Earthquakes, Earthquakes, deformation of rocks	Offset of East Pacific rise in South Pacific San Andreas fault

FIGURE 12.5 The best fit between continents occurs along the continental slope at a depth of 2000 m.




FIGURE 12.6 Marine, nonmarine, and glacial rock sequences of Pennsylvanian to Jurassic age are nearly the same for all Gondwana continents. Such close similarity strongly suggests that they were joined together at one time. The range indicated by G is that of the *Glossopteris* flora.

outward from their central area of accum the sea.

















FIGURE 2.6 (a) Distinctive areas of rock units on South America link with those on Africa, as if they were once connected and later broke apart. (b) If the continents are returned to their positions in Pangaea by closing the Atlantic, mountain belts of the Appalachians lie adjacent to similar-age mountain belts in Greenland, Great Britain, Scandinavia, and Africa.










FIGURE 2.3 (a) The distribution of late Paleozoic glacial deposits on a map of the present-day Earth. The arrows indicate the orientation of striations. (b) The distribution of these glacial deposits on a map of the southern portion of Pangaea. Note that the glaciated areas fit together to define a polar ice cap.





FIGURE 2.4 Map of Pangaea, showing the distribution of coal deposits and reefs (indicating tropical environments), and sand-dune deposits and salt deposits (indicating subtropical environments). Note how deposits now on different continents align in distinct belts.






FIGURE 2.5 This map shows the distribution of terrestrial (land-based) fossil species. Note that creatures like *Lystrosaurus* could not have swim across the Atlantic to reach Africa.







Fig. 20.9




Formation of Magnetic Anomalies



Discovery of Sea-Floor Spreading










FIGURE 2.33 These sketches depict successive stages in sea-floor spreading along a divergent boundary (mid-ocean ridge); only the crust is shown. The top figure represents an early stage of the process, after the mid-ocean ridge formed but before the ocean grew very wide. With time, as seen 04/17/2in the next two figures, the ocean grew two figures. Note that the youngest ocean crust lies closest to the ridge.



Continental Drift






FIGURE 11.16 The Indus River and the Ganges-Bramaphutra River have transported millions of cubic kilometers of sediment eroded from the Himalayas to the Indian Ocean. Note that the combined area for the Bengal and Indus fans is larger than the entire subcontinent of India!