Introduction to Geotechnology Unit – 4 Remote Sensing Based Mapping

4.Remote Sensing Based Mapping: hrs.

Aerial Remote Sensing – Satellite Remote Sensing Principles – Digital Image Processing concepts – GPS based mobile mapping principles – Image interpretation principles for Geotechnology.

12

Remote Sensing

Is the art of sensing an object without physical contact

1. AERIAL REMOTE SENSING

2. SATELLITE REMOTE SENSING

CAPABILITY OF REMOTE SENSING

- Large aerial coverage
- Regional analysis
- Eliminate surface inaccessibility
- Provides unbiased data sets
- Images are easy to study


So, comprehensive understanding of the disaster is possible

CREDIBILITY OF REMOTE SENSING


- SYNOPTIVITY
- MULTI SPECTRAL NATURE
- REPETIVITY
- **→** ECONOMIC
- → 3D (STEREO) DATA CAPTURING etc.

AERIAL REMOTE SENSING

- PHOTOGRAPHIC FILM IS USED
- B&W or COLOUR films or IR or Thermal filters are used
- Camera fitted in Air Plane
- Fly over a preplanned paths
- Stereo capability photo with overlaps/sidelaps
- Interpretation with very large scale is easy



Satellite Remote Sensing-PRINCIPLES




- * The sunlight falling on the terrestrial surface is reflected back to satellite
- * Green, red and infra red component of reflected energy is captured by the multispectral cameras filtered in satellite
- * Quantum and type of reflected light will depend upon the type of the objects.








SATELLITE IMAGES WITH DIFFERENT SPATIAL RESOLUTIONS







IRS P6 PAN -

Panchromatic image of Salem area.

Band width


 $0.45 - 0.82 \mu m$


Spatial resolution

5.8 m












SOUTH INDIA MOSAIC



MULTISPECTRAL IMAGE


MSS 4



MSS 6




MSS 5



MSS 7






Banda Aceh, Indonesia, (Temporal data – Repetivity)

23 June 2004




28 December 2004














PRINCIPLES OF IMAGE PROCESSING

DEFINITION

Digital Image Processing is the Manipulation and Interpretation of Digital Images with the aid of computers

HISTORY

Began in 1960

Widely used from 1972(after the launch of Landsat – 1)

ADVANTAGES:

- Original Data in Digital Form
- Handling of Large Volume of Data
- Errors Rectification Possibility
- Analysis of Individual DataPoints
- Easy Data Manipulation
- Statistical Analysis Possibilities

- Utilisation of Full Dynamic Range of Radiometric Resolution
- Discerning Subtle Differences
- Quantitative Assessment
- * Repeatability
- ★ Versatility
- Preservation of Original Data Precision

DIGITAL IMAGE PROCESSING PROCEDURE

- One Pixel is fed at a time into the Computer
- * This pixel data is inserted into an equation (or)
 - series of equations
- Resulted data of the pixel is stored
- - Displays
 - Printouts
 - Digital form for further manipulation

DIGITAL ANALYSES

- Image Rectification & Restoration
- Image Enhancement
- Image Classification
- Data Merging

IMAGE RECTIFICATION & RESTORATION

This is to correct the image data for Distortions or for Degradations Introduced During Image Acquisition Process

- Geometric Correction
- Radiometric Correction
- Noise Removal

GEOMETRIC CORRECTION

- Variation in Altitude, Attitude & Velocity of Sensor
- Scan Skew
- Scan Mirror Scanning Velocity
- Earth Rotation

RADIOMETRIC CORRECTION

- Change in Scene Illuminations
- Atmospheric Condition
- Viewing Geometry
- Instruments Response Characteristics

NOISE REMOVAL

Noise in an Image is due to the Malfunction of the Sensor

Systematic Noise

- 6th Line Banding
- 6th Line Dropout

Non Systematic Noise

Bit or random Error

IMAGE ENHANCEMENT

This Process Enhances the Feature for better Identification & Interpretation

- Contrast Manipulation
- Spatial Feature Manipulation
- Multi Image Manipulation

INFORMATION EXTRACTION / IMAGE CLASSIFICATION

- Supervised Classification
- Unsupervised Classification
- Post Classification Smoothing
- Classification Accuracy Assesment

DATA MERGING

- Multiple Temporal Data Merging
- Change Detection Procedure
- Multi Sensor Image merging
- Merging of Data with Ancillary Information

IMAGE ENHANCEMENT

IMAGE ENHANCEMENT


- To improve visual interpretability
- ➤ Operations applied only after the preprocessing techniques (Noise get enhanced)

<u>Techniques</u>


- ◆ Point operation (Single pixel independently)
- ◆ Local operation (Each pixel in relation to neighboring values)

BAND I

BAND II



BAND III



FCC



CATEGORIES

CONTRAST MANIPULATION

- Grey level thresholding
- Level slicing
- Contrast stretching

SPATIAL MANIPULATION

Spatial filtering

5 Edge enhancement

Fourier analysis

MULTI-IMAGE MANIPULATION

- Band rationing & differencing
- Principle component analysis
- Canonical component analysis
- Vegetation component analysis
- Intensity-Hue-Saturation
- Colour space transformation

GREY LEVEL THERSHOLDING


- Grey values -divided into two groups as below and above threshold – "BINARY MASK".
- Additional processing for each class independently.

Eg. Water and land class to show brightness variation in these two groups.


RAW

BINARY MASK





BINARY MASK



LEVEL SLICING

- Grey values are divided into classes of analyst intervals
- Each class given single colour so the image will have 5 to 6 variations
- Can be applied to binary mask images
- Extensively used in TIR data images

RAW

LEVEL SLICING








LEVEL SLICING






CONTRAST STRECTCHING

- Recording & display devices operates over 128/256 grey level ranges
- Intention is to expand the narrow range of display level
- Output accentuates the contrast

- LINEAR STRETCH
- **HISTOGRAM EQUATION**
- H
 SPECIAL STRETCH




RAW


HISTOGRAM



LINEAR



SPECIAL



SPATIAL FEATURE MANIPULATION SPATIAL FILTERING: (Local operation)

- Emphasize or deemphasize image data of various spatial frequencies ("Roughness" – tonal variation)
- High spatial frequency (Rough) Roads, field borders
 Grey level changes abruptly over relationally small number
 of pixels
- Low spatial frequency (Smooth) Water bodies, Agriculture bodies
 - Grey level changes are little over a large number of pixels

VARIOUS FILTERS

Low pass filter ⇒ Low pass filtering – (3x3 window average)

High pass filter ⇒ High pass filtering – (original DN – Low pass filter value)

SOBEL filter ⇒ Diagonal, Horizontal, Vertical

DIFFERENCING <u>Directional first differencing</u>

- Edges normal to the particular direction will get
- enhanced

- ♦ The differences may be +ve and -ve
- For normalisation add 127 constant for 8 bit data
- Then contrast stretch

Cross diagonal first differencing

It enhances all edges

= (A-D)+(H-V)

LOW PASS




EDGE ENHANCE



HIGH PASS




EDGE DEDECETED




RAW RATIO 2/3



RATIO 4/3





RATIO STACKED






Basics of GPS


- The GPS NAVSTAR (Navigation Satellite timing and Ranging Global Positioning System)
- Satellite-based navigation, timing and positioning system
- Three-dimensional positioning 24 hrs a day throughout the world
- Well-defined coordinate system, usually by three coordinate values.

Segments





Locations of CONTROL-SEGMENTS




SPACE-SEGMENT

some spare satellites

GPS satellites


USER-SEGMENT Receive Satellite Signal



CONTROL-SEGMENT

Central Time Synchronisation **Tracking Stations**


Satellite Constellation



4 Satellites per orbital plane


55° Inclination to the Equator 20,200 km above Earth 12 hour orbits

Satellite Constellation



55° Inclination to the Equator 20,200 km above Earth 12 hour orbits

24 Satellites6 Orbital Planes



Triangulation Principal



Where is Thiruchirapalli?

- 1) Thiruchirapalli is 190 KMs from Coimbatore.
- 2) Thiruchirapalli is 116 KMs from Madurai.
- 3) Thiruchirapalli is 302 KMs from Chennai.

Distance calculation from Satellite

Signal containing:

Time stamp...

t1

- Satellite ID #
- Exact position of satellite

Velocity = Distance
 Traveled / Time
 Taistance Traveled = Speed of light * (t1-t2)



t2

Types of GPS surveys:

Static, Semi-kinematic(stop & go), Kinematic, DGPS surveys



Current Applications of GPS

- Public Safety
- Environmental resource agents
- Aviation
- Military
- Local planning
- Surveying
- Recreation
- Business



IMAGE INTERPRETATION PRINCIPLES FOR GEOTECHNOLOGY



What is image interpretation?

 Act of examining images or photographs for the purpose of identifying objects and judging their significance.

Fundamentals of image interpretation

 An image is any pictorial representation, irrespective of the wavelength of the imaging device used to produce it.

Platforms

- 1.Aircrafts
- 2.Satellites

Fundamentals of Photo Interpretation

- Aerial photographs are representations of the landscape containing a detailed record of features and patterns on the ground at the time of film exposure.
- The pattern is composed of elements -indicators of conditions and events which reflect the physical, biological and cultural components of the landscape.

Cont.....

- Applications: resource inventory, mapping, and monitoring.
- Crop and forest inventory
- Soil survey
- Habitat mapping
- Geological mapping
- Urban land use
- Change detection and analysis

Conti....

- □ A photo interpreter systematically examines the photos in conjunction with maps, field observations and other information, and makes an interpretation of the physical nature of features and phenomena appearing on the photographs.
- Interpretation may be at a varying degrees of complexity, from simple recognition of objects to derivation of detailed information

- The success of photo interpretation depends on
 training and experience of the interpreter
 nature of the objects or phenomena being interpreted
 quality of the photographs
- The most skilled interpreters generally have keen powers of observation, coupled with an ability to assimilate and analyze information.
- Knowledge of the subject, the geographic region and the sensor are critical

Steps in interpretation

- Collect background information
- Label & index photos &maps
- Identify the effective area
 - 1. Detection- determine the presence & absence of features
 - 2. Recognitions- a higher level of knowledge about a feature or object
 - 3. Delineation separation of specific aerial unit
 - 4. Measurement- to measure the distance, height and extension area, by values

Steps in an Air photo Interpretation Project

- Review literature
- Define objectives, classification system,
- Minimum mapping unit
- Specify and acquire aerial photography
- Acquire equipment and materials
 - Train photo interpreters
 - Field reconnaissance

Project Steps, cont...

- Initial interpretation
- Develop preliminary map
- Field check
- Final interpretation
- Prepare final map
- Assess accuracy
- Prepare project report

- Be familiar with the geographic ecological setting and land cover types.
- Keep in mind the imagery you are interpreting -- film type, date, scale, etc.
- Systematically consider all the elements of interpretation and evidence – deductive process.

General to Specific

Collateral Information

- Ancillary, non-image information used in interpretation.
- Can come from books, maps, or field observations.
- But often includes the implicit (frequently intuitive) knowledge that the interpreter brings to the task in the form of training and experience.

Interpretation strategies

- Field observations (ground truth)
- Direct recognitions
- Interpret by inference (soil by vegetation and land cover)
- Probabilistic interpretation and deterministic interpretation.

Image Elements Used in Photo Interpretation

- □ Tone or Color relates to the spectral reflectance characteristics of objects
- Texture frequency of tonal or color change which determines apparent roughness vs. smoothness of an image region; depends on angle of illumination and surface characterstics.
- Shape describes the form or configuration of an object


Conti....


- **Size** measure of surface dimensions of objects, including height, length-width, slope
- Shadow may reveal details about size and shape not apparent from overhead view
- Site location of object in relation to its geographic or topographic setting
- Association occurrence of certain features in relation to others
- Pattern spatial arrangement of individual objects into distinctive, recurring forms.




★ Convergence of evidence

Elements of Image Interpretation: Order and Methods of Search







- Example Dichotomous Key
- Texture Smooth......CROPLAND
- Color Bluish green.....BARE SOIL
- Color Red.....CORN OR SOYBEAN
- Texture Rough.....FOREST
- Color Red or magenta.....HARDWOODS
- Color Very dark redCONIFER
- Site Upland......Jack Pine
- Site Lowland.....Black Spruce

Types of keys

- Selective keys typical illustrations and descriptions of objects. Interpreter selects the key example that most nearly coincides with the object to be identified
- Elimination keys user follows a step-bystep procedure working from the general to the specific
 - Dichotomous keys

Interpretation makes a series of choices between two alternatives and progressively elements.

Geotechnical Elements

- To study the features on the earth surface such as:
 - 1.Land form
 - 2. Drainage
 - 3. Vegetation
 - 4. Land use and
 - 5. Soil

Significant information on lithology, structure, mineral occurrences and subsurface geology.